



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/4750263
Dated/दिनांक : 07-03-2024

Bid Document/ बिड दस्तावेज़

| Bid Details/बिड विवरण | |
|--|--|
| Bid End Date/Time/बिड बंद होने की तारीख/समय | 28-03-2024 14:00:00 |
| Bid Opening Date/Time/बिड खुलने की तारीख/समय | 28-03-2024 14:30:00 |
| Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से) | 75 (Days) |
| Ministry/State Name/मंत्रालय/राज्य का नाम | Ministry Of Petroleum And Natural Gas |
| Department Name/विभाग का नाम | Oil India Limited |
| Organisation Name/संगठन का नाम | Oil India Limited |
| Office Name/कार्यालय का नाम | Oil India Limited |
| Total Quantity/कुल मात्रा | 10 |
| Item Category/मद केटेगरी | Portable Toilet (Q3) |
| MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट | No |
| Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट | No |
| Document required from seller/विक्रेता से मांगे गए दस्तावेज़ | Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया | No |
| Type of Bid/बिड का प्रकार | Two Packet Bid |
| Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय | 3 Days |
| Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| Estimated Bid Value/अनुमानित बिड मूल्य | 528663 |

Bid Details/बिड विवरण

| | |
|---|--|
| Payment Timelines | Payments shall be made to the Seller within 30 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC) |
| Evaluation Method/मूल्यांकन पद्धति | Total value wise evaluation |

EMD Detail/ईएमडी विवरण

| | |
|-------------------|----|
| Required/आवश्यकता | No |
|-------------------|----|

ePBG Detail/ईपीबीजी विवरण

| | |
|-------------------|----|
| Required/आवश्यकता | No |
|-------------------|----|

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

| | |
|--|----|
| MII Purchase Preference/एमआईआई खरीद वरीयता | No |
|--|----|

Details of the Competent Authority for MII

| | |
|--|---|
| Name of Competent Authority | This is as per standard policy of OIL. |
| Designation of Competent Authority | This is as per standard policy of OIL. |
| Office / Department / Division of Competent Authority | This is as per standard policy of OIL. |
| CA Approval Number | This is as per standard policy of OIL. |
| Competent Authority Approval Date | 07-03-2024 |
| Brief Description of the Approval Granted by Competent Authority | MoPNG as separate policy PP-LC policy which is applicable for all the tenders valuing more than INR 1 Cr. |

Competent Authority Approval for not opting Make In India Preference : [View Document](#)

MSE Purchase Preference/एमएसई खरीद वरीयता

| | |
|---|-----|
| MSE Purchase Preference/एमएसई खरीद वरीयता | Yes |
|---|-----|

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 100%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Portable Toilet (10 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|--|---|
| GENERIC | Mode of Supply | Assembled Ready To Use |
| | Number of Compartments | 1 - seater portable toilet |
| | Type of WC | Indian with FRP |
| | Number of WC | 1, 2, 3, 0 |
| | Number of Urinals (For Gents and Ladies to be mentioned separately) | 1, 2, 3, 0 |
| | Number of Bathrooms | 1, 2, 3, 0 |
| | Water facility | By mean of overhead tank(Capacity 200Ltrs) |
| | Wash basin | 1 No. in each WC unit(inside) |
| | Sewage facility | Sludge tank(Capacity 200 Ltrs) with 75mm outlet facility through butterfly valve and hosepipe(for 1-seater and 2-seater) |
| | ventilation | One No. |
| | Lifting hook | one number heavy lifting hook provided, two number heavy lifting hook provided |
| | Projection of Roof | 50mm projection on all the four sides, 100mm projection from front and 50mm projection on other sides, 50mm projection from front and 25mm projection on other sides, NO projection |
| | Installation and commissioning | To be done by seller |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|------------------------|---|--|
| | Plumbing and Sanitary fitting connection | To be done by seller |
| | Electrical connection | To be done by seller |
| | Waste extraction fittings | To be done by seller, To be done by Consignee himself |
| | Civil foundation | No foundation required, Required - To be done by seller, Required - To be done by consignee himself |
| FRAME MATERIAL | Bottom frame material | 35mm X 35mm X 5mm(thick) MS angle for one seater |
| | Bottom frame support material | 25mm X 25mm X 3mm(thick) MS angle (for 1-seater, 2-seater & 3-seater) |
| | Side panel frame material | 35mm X 35mm X 5mm(thick) MS angle, 35mm X 35mm X 5mm(thick) SS angle, No side frame structure, 25 mm x 25 mm x 2 mm (thick) MS pipe as per IS 4923 / latest, 38 mm x 38 mm x 2 mm (thick) MS pipe as per IS 4923 / latest |
| | Top(roof) frame material | 35mm X 35mm X 5mm(thick) MS angle |
| | Top(roof) support frame structure | 25mm X 25mm X 3mm(thick) MS angle, 25mm X 25mm X 3mm(thick) SS angle, No support structure, 25 mm x 25 mm x 2 mm (thick) MS pipe as per IS 4923 / latest, 38 mm x 38 mm x 2 mm (thick) MS pipe as per IS 4923 / latest |
| | Partition frame material | 35mm X 35mm X 5mm(thick) MS angle, 35mm X 35mm X 5mm(thick) SS angle, No partition frame structure, 25 mm x 25 mm x 2 mm (thick) MS pipe as per IS 4923 / latest, 38 mm x 38 mm x 2 mm (thick) MS pipe as per IS 4923 / latest |
| | Ventilation frame material | 25mm X 25mm X 3mm(thick) flat MS, 25mm X 25mm X 3mm(thick) flat SS, No ventilation frame material, 25 mm x 25 mm x 2 mm (thick) MS Flat |
| | Door frame material | 50mm X 25mm of 14-16gauge rectangular MS hollow pipe, 50mm X 25mm of 14-16gauge rectangular SS hollow pipe, No door frame material, 35 mm x 35 mm x 5 mm (thick) MS ANGLE |
| | Support material for Door panel fixing | Aluminium U-channel of 18gauge, SS U-channel of 18gauge, No support material |
| | Door hinges(two numbers) | 75mm size with 1.2-1.5mm thickness MS |
| | Tank holder frame material | 25mm X 3mm(thick) MS flat |
| | Unit understructure | Supported by 4-legs of size 35mm X 35mm X 5mm MS angle with corner support of 25mm x 25mm X 3mm MS angle for 1-seater |
| | Stairs frame material | 25mm x 25mm X 3mm MS angle, 25mm x 25mm X 3mm SS angle, No stairs |
| Stairs material | 25mm X 3mm MS flat, 25mm X 3mm SS flat, No stair material | |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|----------------|------------------------------------|---|
| | Door Tee material | 40mm X 40mm x40mm X 5mm(thick) MS Tee, 40mm X 40mm x40mm X 5mm(thick) SS Tee, No door Tee material |
| PANEL MATERIAL | Side panel material | 5mm thick ply core sandwich with 1mm thick FRP from both sides(5+1+1mm), Single layer 3mm thick FRP, Zero spangled cold rolled 120 GSM galvanised(galvano) powder coated 40mm thick EPS panel(EPS Density-16Kg/CuM EPS thickness-38mm and steel sheet thickness 0.6mm 275MPA), Outside paneling of 18 gauge MS sheet and inside paneling of 18 gauge aluminum sheet(single partition, corrugated sheet, Fitted with plastic light weight LLDPE roto molded, The superstructure Toilet to be one piece molded plasticwalls and roof with single wall construction by Roto-molded process-fixed on base with suitable fastners-having many nos. of embossed ribs for better strength., Outside panelling of 22 gauge Galvanized plain sheet as per IS 277 / latest and Inside panelling of 10 mm thick Cement fibre board of category 3 Type B confmg. to IS 14862 / latest (To be 750 mm above the inside floor), Powder coated 1.2 mm thick Galvanized Iron sheet, Insulated walls to be made of continue line sandwich panels with 0.35mm thick pre-coated steel sheet(PPGI SHEET) having 120 GSM with minimum 4 microns epoxy primer on both sides of sheet and polyester top coat min 15 microns on both sides of PUF with polyurethane foam(PUF) thickenss-38mm having density 40kg/CUM ±2 kg/CUM |
| | Top(Roof) panel material | 5mm thick ply core sandwich with 1mm thick FRP from both sides(5+1+1mm), Single layer 3mm thick FRP, Zero spangled cold rolled 120 GSM galvanised(galvano) powder coated 40-70mm thick taper roof EPS panel(EPS Density-16Kg/CuM EPS thickness-38mm and steel sheet thickness 0.6mm 275MPA), 4mm poly carbonate sheet fitted on top, Fitted with plastic light weight LLDPE roto molded, The superstructure Toilet to be one piece molded plasticwalls and roof with single wall construction by Roto-molded process-fixed on base with suitable fastners-having many nos. of embossed ribs for better strength., Outside panelling of 22 gauge Galvanized plain sheet as per IS 277 / latest and Inside panelling of 10 mm thick Cement fibre board of category 3 Type B confmg. to IS 14862 / latest, Powder coated 1.2 mm thick Galvanized Iron sheet, Insulated walls to be made of continue line sandwich panels with 0.35mm thick pre-coated steel sheet(PPGI SHEET) having 120 GSM with minimum 4 microns epoxy primer on both sides of sheet and polyester top coat min 15 microns on both sides of PUF with polyurethane foam(PUF) thickenss-38mm having density 40kg/CUM ±2 kg/CUM |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|--|--|
| | Door panel material | 5mm thick ply core sandwich with 1mm thick FRP from both sides(5+1+1mm), Single layer 3mm thick FRP, Zero spangled cold rolled 120 GSM galvanised(galvano) powder coated with necessary stiffeners and Aluminium accessories (2 Al handles-1 Al tower bolt-1Al L-drop and steel sheet thickness 0.6mm 275MPA), Outside paneling of 18 gauge aluminum sheet(corrugated sheet), Fitted with plastic light weight LLDPE roto molded, Single leaf shutter to be made out with PUF insulated sandwich panel - Panel to be 0.3mm thick Pre coated G.I. Sheet both side of PUF - Shutter thickness to be 20mm - Door width 600mm and Fixed with Hinges, 22 gauge Galvanized plain sheet as per IS / 277 (latest), Powder coated 1.2 mm thick Galvanized Iron sheet, Insulated walls to be made of continue line sandwich panels with 0.35mm thick pre-coated steel sheet(PPGI SHEET) having 120 GSM with minimum 4 microns epoxy primer on both sides of sheet and polyester top coat min 15 microns on both sides of PUF with polyurethane foam(PUF) thickenss-38mm having density 40kg/CUM \pm 2 kg/CUM |
| | partition panel material | 5mm thick ply core sandwich with 1mm thick FRP from both sides(5+1+1mm), Single layer 3mm thick FRP, Zero spangled cold rolled 120 GSM galvanised(galvano) powder coated 40mm thick EPS panel(EPS Density-16Kg/CuM EPS thickness-38mm and steel sheet thickness 0.6mm 275MPA), Fitted with plastic light weight LLDPE roto molded, Outside panelling of 22 gauge Galvanized plain sheet as per IS 277 / latest and Inside panelling of 10 mm thick Cement fibre board of category 3 Type B confmg. to IS 14862 / latest (To be 750 mm above the inside floor), Powder coated 1.2 mm thick Galvanized Iron sheet, Insulated walls to be made of continue line sandwich panels with 0.35mm thick pre-coated steel sheet(PPGI SHEET) having 120 GSM with minimum 4 microns epoxy primer on both sides of sheet and polyester top coat min 15 microns on both sides of PUF with polyurethane foam(PUF) thickenss-38mm having density 40kg/CUM \pm 2 kg/CUM |
| | Floor material | 5mm thick FRP material |
| DIMENSION | Cabin size(LXWXH) \pm 25mm | 890mm X 840mm X 1980mm (for 1- seater) |
| | Door size(WxH) \pm 20mm | 585mm x 1830mm |
| | Single pan size \pm 10mm | 580mm X 440mm with built in platform/footrest, As per buyer's choice |
| | Stairs size \pm 10mm | 610mm X 230mm having 1-step, 610mm X 230mm having 2-step, 610mm X 230mm having 3-step, NO stairs |
| | Leg height \pm10mm | 455mm, NO legs, 350mm |
| MISC | Door locking bolts | Size 100mm of MS, Size 100mm SS |
| | Towerbolt locking | Towerbolt of MS size 75mm, Towerbolt of SS size 75mm, Towerbolt of Aluminium size 75mm |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|--|--|
| | Overhead tank material | made of double layer HDPE sheet |
| | Wash basin material | made of FRP(fiber reinforced plastic) |
| | WC material | made of FRP(fiber reinforced plastic) |
| | Towel rail/ring | made of plastic, made of SS 304, Chrome plated, NO towel rail |
| | P-trap material | made of HDPE(75mm), made of PVC(75mm) |
| | Footrest(WC) material | made of FRP integrated with Indian WC and floor, made of SS 304 integrated with Indian WC and floor, made of Ceramic integrated with Indian WC and floor, N.A |
| | Sewage tank material | made of FRP 4mm thick(for 2-seater & 3- seater), Twin Leech pit with insepction chamber, NO sewage tank, Hume type Septic tank, As per buyer's choice |
| | Dia of lifting hook | 20mm, 25mm, 30mm, 40mm, NO lifting hook |
| | Size of Mirror | 455mm X 305mm, NO mirror |
| | Electric provision | By mean of connection from main line |
| | Base floor surface | To be suitably slanted towards WC for proper drainage(for Indian WC), N.A |
| | Movement facility for 2-seater and 3-seater | Having two axle of 25mm X 25mm with four wheels(250mm each) made of solid rubber, Having two axle of 25mm X 25mm with four wheels(250mm each) made of PVC, N.A |
| WARRANTY | Warranty period in number of years | 1 |

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1 | Amar Deep Singh | 345028, Baghewala Oil Fields, Oil India Limited, Village Tavriwala, District Jaisalmer | 10 | 90 |

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

3. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

4. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

5. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

6. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

7. Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

8. Buyer Added Bid Specific ATC

(To be filled by bidder and submit along with Technical Bid)**CHECK LIST****TO BE FILLED UP IN DETAIL:**

| Sl No | Requirement | Bidder's Reply |
|-------|--|----------------|
| 01 | Offer reference & Date | |
| 02 | Name, Address, Phone No & E-mail of Bidder | |
| 03 | Bank details of Bidder | |
| 04 | Name of Manufacturer | |
| 05 | Country of Origin | |
| 06 | Port of Despatch / Despatching Station | |
| 07 | Exception/Deviations quoted, if any, to be given in details or refer to respective page of the bid documents | |
| 08 | Confirmation regarding mentioning of Eight Digit HSN Code for each item | |

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.

8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---